FROM THE FLOORING INDUSTRY

calendar

2016


THE REAL PROPERTY OF



BIG RED







A







 \mathbf{N}



April





October

November


December



September







Sound Control Moisture Barrier

Calendar Copyright ©2015 NAC Products, Inc. All vehicle photos used with permission Printed in U.S.A. October 2015

(800)633.4622



www.nacproducts.com

•Tennessee•

Stacy Moore • Broadway Flooring • Knoxville, TN This car was a gift to my wife from her father about four years ago. It underwent a three year restoration that included replacing the original transmission with a Datsun 280 Z five speed transmission, a chrome bumper conversion, a 1965 steel dash and completely new black with blue piping leather interior. The coolest thing about a British car is when you flip a Lucas switch, nothing catches on fire.




Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22






	December 2015						FEBRUARY 2016							
31			1	2	3	4	5		1	2	3	4	5	6
	6	7	8	9	10	11	12	7	8	9	10	11	12	13
	13	14	15	16	17	18	19	14	15	16	17	18	19	20
	20	21	22	23	24	25	26	21	22	23	24	25	26	27
	27	28	29	30	31			28	29					


ECB® Classic provides crack isolation up to 3/8" and is available in 1'x50', 2'x50' and 3'x50' rolls.



www.nacproducts.com







www.nacproducts.com

- MICHIGAN -

Paul Bronikowski • Flooring Sales Rep • Clarkston, MI I purchased this car in 2006 and stripped it to the shell to restore. The motor was rebuilt to the 302 cubic inch original specifications, which was unique to the first generation Camaros. It has a factory tach, Consal gauges, Cowl induction hood, four-speed manual transmission, 12 bolt Posi rear end and rally wheels.

o 1969 Chevrolet RS Z28 Camaro 👝

Super SAM® 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

	FEBRUARY 2016				Thursday	Friday	Saturday
14	1 2 3 4 5 6 8 9 10 11 12 13 15 16 17 18 19 20 22 23 24 25 26 27	APRIL 2UIS 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	1	2	3	4	5
	6 FCIC/	7 A Annual Conven	8 tion • Palm Co	9 ast, FL	10	11	12
	13	14	15	16	17	18	19



MARCH 2 0 1 6

/20

7 34 100

Super SAM®125 has an IIC 51, STC 54 and a Delta IIC of 22 and is for use without a sound rated ceiling assembly and is the most effective "all-in-one" membrane on the market today.

www.nacproducts.com

MINNESOTA

Tim Erickson • Flooring Installer • Isanti, MN

This Malibu has a 481 big block, naturally aspirating motor making 700 HP on 92 octane and an additional 150 HP is available with nitrous. It has a Tremec TKO 600 five speed transmission and 456 gears and is painted viper red. I've owned this car for 14 years and drive it everywhere, to a car show 300 miles away or to the grocery store with my wife.

🔹 1966 Chevy Malibu Pro Street 🍥

Super SAM® 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22





N	AR	сн 2	201	6				MA	2	016		
	1	2	3	4	5	1	2	3	4	5	6	7
67	8	9	10	11	12	8	9	10	11	12	13	14
13 14	15	16	17	18	19	15	16	17	18	19	20	21
20 21	22	23	24	25	26	22	23	24	25	26	27	28
27 28	29	30	31			29	30	31				

SubSeal[®] liquid waterproof membrane is a stand-alone crack suppressant and moisture barrier for interior and exterior applications and is an effective solution for shower walls.

www.nacproducts.com

CALIFORNIA

Buddy Bellflower • California Interiors • San Gabriel, CA I've wanted this model of car since I was in high school. It was a one owner vehicle before I purchased it and the original owner bought the car from a dealership just a few miles from my office! I found it in Connecticut and had it trucked back to LA. It has a sneaky fast 1969 Corvette big block 427 with a full

1972 Chevrolet Monte Carlo

2" drop hotchkis suspension and B & M turbo 400 with 17" wheels.

Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

-

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		A Y 1 6			APRIL 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	JUNE 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 14
1	2	3	4	5	6	7
8	9	10	11	12	13	14



www.nacproducts.com

* IOWA

Larry Hampton • Ackley Flooring, Inc. • Cedar Rapids, IA Built in 1932, this is an all steel, uncut body with fiberglass fenders. It has a 330 horsepower SBC that scoots right along. It has front disc brakes and is fun to set the cruise control at highway speeds. It's more of a "family sedan" and I put about 5000 miles a year on it.

Ō

1932 Ford Model B Tudor

Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
MAY 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	JULY 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31		1	2	3	4
5	6	7	8	9	10	- 11
12	13	14	15	16	17	18



June 2016

The Extreme Deck System provides a double layer of waterproof protection for exterior decks and balconies.

A: Concrete Slab B: NACTAC (Blue) Primer C: Strataflex Membrane D: SubSeal Liquid E: Preformed Corners F1: 12" Strataflex F2: 6" Seam Tape G: NAC Sealant

www.nacproducts.com

FLORIDA

John Spadavecchia, Jr. • Italian Tile & Marble • Delray Beach, FL I've owned this car for more than a year and did a complete restoration inside and out. It's a street and strip race car with no back seat to allow room for tubing the rear to accommodate the huge rear tires. It has a 5-speed Tremec transmission and looks and sounds fantastic. I only drive it on the weekends in good weather.

🍘 🛛 1967 Chevrolet Camaro 👔

Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday			
	JULY 2016								
3	4	5	6	7	8	9			
	Independence Day								
10	- 11	12	13	14	15	16			



1	JUNE 2016	August 2016
31	1 2 3 4	1 2 3 4 5 6
-	5 6 7 8 9 10 11	7 8 9 10 11 12 13
	12 13 14 15 16 17 18	14 15 16 17 18 19 20
	19 20 21 22 23 24 25	21 22 23 24 25 26 27
	26 27 28 29 30	28 29 30 31

Moisture Lock is a liquid floor hardener and sealer that strengthens and hardens substrates to minimize absorption while maximizing the coverage of NAC primers.



www.nacproducts.com


1985 Hatz CB-1 Biplane

Steve Garrison • ES Dockery, Inc • Johnson City, TN My father Davis, and I built this from scratch 1980-1985. My Dad carved the propeller from mahogany. The fuselage is chromoly tubing and the wings are sitka spruce. It is covered in Dacron fabric with a Polyfiber system and has a 150 horsepower Lycoming engine that cruises at 100 mph. This plane has been flown by three generations of Garrisons.



Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Αι	JGU 2016	ST	of 54 and is engin	C rating of 58 and ar eered and tested to ed Ceiling Assembly	be used	
	1	2	3	4	5	6
7	8	9	10	11	12	13



www.nacproducts.com



Brett Baradell • Flooring Installer • Buffalo, NY I purchased this car at the age of 13 and began a five year frame off restoration. I received guidance from my Dad and matching funds from my parents to complete the restoration. It was a great teaching project in organization, mechanics, economics and job responsibility.

> 2002 Harley Davidson Softail Deuce

Super SAM® 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
S	E P T E 2 0	MB 16	ER	1	2	3
4	5 Labor Day	6	7	8	9	10
- 11	12	13	14	15	16	17



	A	UGU	ST 2	201	6			0	TOB	ER	201	6	
	1	2	3	4	5	6							1
7	8	9	10	11	12	13	2	3	4	5	6	7	8
14	15	16	17	18	19	20	9	10	11	12	13	14	15
21	22	23	24	25	26	27	16	17	18	19	20	21	22
28	29	30	31				23	24	25	26	27	28	29
							30	31					

NAC primer is a necessary component of NAC membrane systems. **NAC TAC** may be used for interior or exterior applications, **NAC TAC II** is for interior applications only and **NS 97** is for exterior applications only.



www.nacproducts.com



Super SAM® 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		OBE 016	R	SEPTENDER 2015 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 14	I 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 1 10 10	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15





James Wilson • Wilson Tile Co. • Cave Spring, GA

This car is numbered 33, and is one of only 50 units produced by Saleen Motorsports. It has a 5.7L Hemi VCT SMS Supercharger with 570 HP. Power, heated seats, black and silver leather interior, navigation, XM radio and keyless entry with a Tremec 6 speed manual transmission. It was transformed from a classic Dodge Challenger into a dynamic supercar.


> 2010 Dodge SMS Challenger 570

> > SMS

Super SAM[®] 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

1-1

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
OCTOBER 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	DICEMBER 2016 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1	2	3	4	5
6	7	8	9	10	11 Veterans Day	12
13	14	15	16	17	18	19



www.nacproducts.com

🔹 • Vermont •

Flynn Mattison • Bennington House of Tile & Carpet Bennington, VT

I found this car sitting in storage for about 15 years. It is all stock original with about 72,000 miles. It was originally white and I stripped it down and painted it red. It was featured in Hemmings Motor News Sport & Exotic Car Magazine in February of 2015.

•


1972 Datsun 240 Z

Super SAM® 125 Sound Control Membrane • 6" Bare Concrete Slab • IIC = 51 • STC = 54 • Delta = 22

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday 3			
D	ECE	MBE	1	2	3				
	20	16							
4	5	6	7	8	9	10			
11	12	13	14	15	16	17			

18	19	20	21 Winter Begins	22	23	24
25	26	27	28	29	30	31
Christmas						New Year's Eve

November 2016									J	NUA	2017		
		1	2	3	4	5		1	2	3	4	5	6
6	7	8	9	10	11	12		8	9	10	11	12	13
13	14	15	16	17	18	19		15	16	17	18	19	20
20	21	22	23	24	25	26		22	23	24	25	26	27
27	28	29	30					29	30	31			



The ECB kit for strip applications contains a 1'x 50' roll of membrane while the ECB kit for large format tile and stone has a 2'x 25' roll of membrane.



(800)633.4622

www.nacproducts.com

and the second and the second second